

(Practitioner's Docket No. IN-5542)

Group Art Unit: Not Assigned

Examiner: Not Assigned

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

é Application of

Hardy REUTER, et al.

Serial No.: 10/009,161

Filed: December 5, 2001

HECEIVED TC 1700 For: ELECTRODEPOSITION BATH WITH WATER-SOLUBLE POLYVINYL

ALCOHOL (CO)POLYMERS

Commissioner of Patents Washington, D.C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" label number

EU171212496US

Date of Deposit April 2, 2002

I hereby certify that the following attached paper or fee

Information Disclosure Statement From PTO-1449 **Cited References**

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231. Marjorie Ellis

(Typed or printed name of person mailing paper or fee)

Signature of person mailing paper or fee)

Note: Each paper must have its own certificate and the "Express Mail" label number as a part thereof or attached thereto. When, as here, the certification is presented on a separate sheet, that sheet must (1) be signed and (2) fully identify and be securely attached to the paper or fee it accompanies, identification should include the serial number and filing date of the application as well as the type of paper being filed, e.g. complete application, specification and drawings, responses to rejection or refusal, notice of appeal, etc. if the serial number of the

application is not known, the identification should include at least the name of the inventor(s) and the title of the invention.

The label number need not be placed on each page. It should, however, be placed on the first page of each separate document, such Note: as, a new application, amendment, assignment, and transmittal letter for a fee, along with the certificate of mailing by "Express Mail." Although the label number may be on checks, such a practice is not required. In order not to deface formal drawings it is suggested that the label number be placed on the back of each formal drawing of the drawings be accompanied by a set of informal drawings on which the label number is placed.